



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/816,694	03/23/2001	Shabbir Ahmed	051583:0249	5216
23524	7590	12/01/2004	EXAMINER	
FOLEY & LARDNER 150 EAST GILMAN STREET P.O. BOX 1497 MADISON, WI 53701-1497			RIDLEY, BASIA ANNA	
			ART UNIT	PAPER NUMBER
			1764	

DATE MAILED: 12/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/816,694

Applicant(s)

AHMED ET AL.

Examiner

Basia Ridley

Art Unit

1764

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 26 July 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 072604.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### *Information Disclosure Statement*

1. The documents crossed out on PTI-1449 filed on 28 July 2004 have been already submitted and considered as part of the information disclosure statements filed on 3 August 2001 and 2 December 2002.

### *Claim Rejections - 35 USC § 103*

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
3. Claim(s) 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Krumpelt et al. (USP 5,929,286) in view of Ahmed et al. ("Catalytic Partial Oxidation Of Hydrocarbon Fuels") or Kumar et al. (The Low Temperature Partial Oxidation Reforming Of Fuels For Transportation Fuel Cell Systems").

Regarding claim 1, Krumpelt et al. discloses a method for generating H<sub>2</sub> rich gas from a fuel comprising:

- supplying to a fuel processor a mixture of molecular oxygen, fuel, and water (C3/L11-20);
- wherein the molar ratio of molecular oxygen supplied to the fuel processor per mole of fuel is  $x$  and has a value ranging from about  $0.5x_0$  to about  $1.5x_0$
- converting the mixture of molecular oxygen, fuel and water in the fuel processor to the H<sub>2</sub> rich gas (C3/L42-C4/L2); wherein
- the fuel has the formula C<sub>n</sub>H<sub>m</sub>O<sub>p</sub>, where  $n$  has a value ranging from 1 to 20 and is the average number of carbon atoms per molecule of the fuel,  $m$  has a value ranging from 2

Art Unit: 1764

to 42 and is the average number of hydrogen atoms per molecule of the fuel,  $p$  has a value ranging from 0 to 12 and is the average number of oxygen atoms per molecule of the fuel (C3/L11-12); and wherein

-  $x_0$  is equal to  $0.312n - 0.5p + 0.5(\Delta H_{f,\text{fuel}}/\Delta H_{f,\text{water}})$ , where  $n$  and  $p$  have the values described above  $\Delta H_{f,\text{fuel}}$  is the heat of formation of the fuel and  $\Delta H_{f,\text{water}}$  is the heat of formation of the water (C3/L16-19)

While the reference discloses that disclosed method provides hydrogen fuel for fuel cells in automotive industry (C1/L15-40) and that the reaction should be performed at low temperatures to optimize hydrogen production (C3/L42-C4/L2), the reference does not explicitly disclose the step of determining a thermoneutral point for the fuel prior to or during the production of hydrogen.

Both, Ahmed et al. and Kumar et al. teach that it was known in the art at the time of the invention that to determine the thermoneutral points for fuel prior to or during the production of hydrogen and to control the process to operate at a low value of  $x$  (the overall reaction is exothermic but only very slightly) because such operation favors higher hydrogen yields and concentrations (see: Ahmed et al., page 242, 3<sup>rd</sup> full paragraph and Kumar et al., page 751, section titled "Argonne's Partial Oxidation Reformer for Methanol". Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Krumpelt et al., as taught by Ahmed et al. or Kumar et al., by determining the thermoneutral point for fuel prior to or during the production of hydrogen and by controlling the process to operate at a low value of  $x$  (the overall reaction is exothermic but only very slightly) for the purpose of favoring higher hydrogen yields and concentrations.

Art Unit: 1764

Regarding claims 2-11 and 14-20, Krumpelt et al. in view of Ahmed et al. or Kumar et al. discloses all of the claim limitations as set forth above. Additionally Krumpelt et al. discloses the method wherein:

- converting the mixture of molecular oxygen, fuel and water in the fuel processor to the H<sub>2</sub> rich gas further comprises contacting the mixture of molecular oxygen, fuel and water with a catalyst in the fuel processor to produce the H<sub>2</sub> rich gas (C3/L11-C4/L2);
- $x$  has a value ranging from about  $x_0$  to about  $1.5x_0$  (C3/L16-19 and C3/L34-35);
- the molar ratio of water supplied to the fuel processor per mole of fuel is a value ranging from about  $0.8(2n - 2x - p)$  to about  $2.0(2n - 2x - p)$ , (C3/L16-19 and C3/L34-35);
- the molar ratio of water supplied to the fuel processor per mole of fuel is a value ranging from about  $0.9(2n - 2x - p)$  to about  $1.5(2n - 2x - p)$ , (C3/L16-19 and C3/L34-35);
- the molar ratio of water supplied to the fuel processor per mole of fuel is a value ranging from about  $0.95(2n - 2x - p)$  to about  $1.2(2n - 2x - p)$ , (C3/L16-19 and C3/L34-35);
- the molar ratio of water supplied to the fuel processor per mole of fuel is a value ranging from about  $1.0(2n - 2x - p)$  to about  $1.1(2n - 2x - p)$ , (C3/L16-19 and C3/L34-35);
- the molecular oxygen is supplied to the fuel processor in a mixture of gases comprising N<sub>2</sub> and molecular oxygen (C1/L22-30 and C2/L52-67);
- the molecular oxygen is supplied to the fuel processor as air (C1/L22-30 and C2/L52-67);

Art Unit: 1764

- the fuel is selected from the group consisting of methane, methanol, ethane, ethylene, ethanol, propane, propene, i-propanol, n-propanol, butane, butene, butanol, pentane, pentene, hexane, cyclohexane, cyclopentane, benzene, toluene, xylene, natural gas, liquefied petroleum gas, iso-octane, gasoline, kerosene, and diesel (C1/L44-57, C2/L3-5, C3/L11-12, C3/L28-35);
- the fuel is selected from the group consisting of methane, natural gas, propane, methanol, ethanol, LPG, gasoline, kerosene, and diesel (C1/L44-57, C2/L3-5, C3/L11-12, C3/L28-35);
- $x$  has a value ranging from about  $0.8x_0$  to about  $1.4x_0$  (C3/L16-19 and C3/L34-35);
- $x$  has a value ranging from about  $0.9x_0$  to about  $1.3x_0$  (C3/L16-19 and C3/L34-35);
- the molar ratio of molecular oxygen supplied to the fuel processor per mole of fuel is  $x$  and has a value ranging from about  $0.95x_0$  to about  $1.2x_0$  (C3/L16-19 and C3/L34-35);
- the molar ratio of water supplied to the fuel processor per mole of fuel is a value ranging from about  $1.0(2n - 2x - p)$  to about  $1.1(2n - 2x - p)$ , (C3/L16-19, and C3/L34-35);
- the catalyst comprises a two part catalyst comprising a transition metal and an oxide-ion conducting portion, and the mixture of molecular oxygen, fuel, and water is contacted with the catalyst at temperature of  $400^\circ\text{C}$  or greater (C1/L58-C2/L2, C2/L43-C3/L44);
- the transition metal is selected from the group consisting of platinum, palladium, ruthenium, rhodium, iridium, iron, cobalt, nickel, copper, silver, gold, and mixtures thereof, and the oxide-ion conducting portion of the catalyst is  $\text{LaGaO}_3$  (C1/L58-C2/L2 and C2/L43-65);
- the catalyst is selected from the group of autothermally reforming catalysts that

Art Unit: 1764

operate at a temperature ranging from about 100°C to about 700°C (C3/L11-C4/L2).

Regarding claims 12-13, Krumpelt et al. in view of Ahmed et al. or Kumar et al. discloses all of the claim limitations as set forth above. Additionally the reference discloses the method wherein the fuel process or is maintained at a temperature of from about 100°C to about 900°C and from about 400°C to about 700°C. While the reference does not explicitly disclose the fuel processor comprising a reforming portion, presence of said portion is inherent in a fuel processor where hydrocarbon fuel reacts with water.

4. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Krumpelt et al. (USP 5,929,286) in view of Ahmed et al. ("Catalytic Partial Oxidation Of Hydrocarbon Fuels") or Kumar et al. (The Low Temperature Partial Oxidation Reforming Of Fuels For Transportation Fuel Cell Systems"), as applied to claim 2 above, and further in view of Collins et al. (USP 5,458,857).

Regarding claim 21, Krumpelt et al. in view of Ahmed et al. or Kumar et al. discloses all of the claim limitations as set forth above. Additionally the reference discloses the hydrogen production method, as set forth above, wherein hydrogen rich gas is produced for use in fuel cells (C1/L15-21). Further, Krumpelt et al. discloses that the hydrogen rich gas produced by the disclosed method comprises carbon monoxide (C3/L42-C4/L2). But the references do not explicitly disclose any steps to further purify produced hydrogen rich gas.

Collins et al. teaches a method for production of hydrogen for use in fuel cells (C1/L5-10) by reforming hydrocarbon fuels. Carbon monoxide is removed from produced hydrogen rich gas by contacting the hydrogen rich gas with a second catalyst effective at converting carbon monoxide and water into carbon dioxide and H<sub>2</sub> to produce

Art Unit: 1764

a second gas further enriched in hydrogen and with a reduced level of carbon monoxide (abstract). Further the reference teaches that removing carbon monoxide is beneficial in hydrogen production for fuel cells not only because it recovers additional hydrogen but also because it protects fuel cells from CO poisoning (C2/L18-29).

It would have been obvious to one having ordinary skill in the art at the time of the invention to contact the hydrogen rich gas produced by the method of Krumpelt et al. in view of Ahmed et al. or Kumar et al. with a second catalyst effective for converting carbon monoxide and water into carbon dioxide and H<sub>2</sub>, as taught by Collins et al., for the purpose of improving process efficiency by recovering additional hydrogen and for the purpose of improving fuel cell operation by removing carbon monoxide which is poisonous to fuel cell catalyst.

5. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Krumpelt et al. (USP 5,929,286) in view of Ahmed et al. ("Catalytic Partial Oxidation Of Hydrocarbon Fuels") or Kumar et al. (The Low Temperature Partial Oxidation Reforming Of Fuels For Transportation Fuel Cell Systems"), further in view of Collins et al. (USP 5,458,857), as applied to claim 21 above, and further in view of Ohata et al. (USP 4,708,946).

Regarding claim 22, Krumpelt et al. in view of Ahmed et al. or Kumar et al. and further in view of Collins et al. disclose all of the claim limitations as set forth above. Additionally Collins et al. discloses that the conversion of carbon monoxide and water into carbon dioxide and H<sub>2</sub> is performed over a suitable second catalyst (C4/L43-49). While the Collins et al. teaches some exemplary suitable catalysts (e.g. C5/L41-44) the reference does not explicitly disclose any other suitable catalysts.



Ohata et al. teaches a catalyst comprising a transition metal on cerium oxide or on ceria doped with a rare earth metal or an alkaline earth element, wherein the transition metal is selected from the group consisting of platinum, palladium, nickel, iridium, rhodium, cobalt, copper, gold, ruthenium, iron, silver and combinations thereof, the rare earth element is selected from the group consisting of gadolinium, samarium, yttrium, lanthanum, praseodymium and combinations thereof, and the alkaline earth element is selected from the group consisting of magnesium, calcium, strontium, barium and combinations thereof (C3/L38-50 and C4/L26-32). The reference teaches that said catalyst has "an outstanding ability to (...) promote water gas shift reaction" (C4/L26-32).

It would have been obvious to one having ordinary skill in the art at the time of the invention to use the catalyst of Ohata et al. comprising a transition metal on cerium oxide or on ceria doped with a rare earth metal or an alkaline earth element as a second catalyst effective for converting carbon monoxide and water into carbon dioxide and H<sub>2</sub> in the hydrogen rich gas produced by the process of Krumpelt et al. in view of Ahmed et al. or Kumar et al. and further in view of Collins et al. since doing so would amount to nothing more than a use of a known catalyst for its intended use in a known environment to accomplish entirely expected result. An ordinary artisan would be motivated to replace catalyst of Collins et al. with a catalyst offering "outstanding" performance for the purpose of improving operation and efficiency of the process.

6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were

Art Unit: 1764

made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(f) or (g) prior art under 35 U.S.C. 103(a).

***Response to Arguments***

7. Applicant's arguments filed on 26 July 2004 have been considered but are moot in view of the new ground(s) of rejection.

***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.


8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to examiner Basia Ridley, whose telephone number is (571) 272-1453.

Art Unit: 1764

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola, can be reached on (571) 272-1444.

The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Technical Center 1700 General Information Telephone No. is (571) 272-1700. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Questions on access to the Private PAIR system should be directed to the Electronic Business Center (EBC) at (866) 217-9197 (toll-free).



Basia Ridley  
Examiner  
Art Unit 1764

BR

November 29, 2004